


COMPACT「インフィニティエッジプール」国内初！！


COMPACT「インフィニティエッジプール」寸法

*4m × 3m × (H)1.2m/(H)1.5m <12 m²> *5m × 3m × (H)1.2m/(H)1.5m <15 m²> *6m × 3m × (H)1.2m/(H)1.5m <18 m²>



COMPACT「インフィニティプール」は、限られた敷地や小さな場所でも視覚的な広がりと高級感を演出します。近年非常に人気のあるプールデザインで、現代的な高級住宅やリゾートでは特に高く評価されています。又、日本の住宅事情に合わせた省スペース設計ながら、水面と景色が一体化する贅沢な開放感を楽しめるのが最大のメリットです。



 4. インフィニティプール.mp4 ビデオ動画

COMPACT「インフィニティエッジプール」国内初！！



☆新築改築の際は COMPACT「インフィニティエッジプール」の導入を ご検討ください。ご自宅をリゾート空間に……

特徴:

1. 「限られたスペースでの設置」: 広い庭や敷地が無くても日本の一般的住宅サイズに合わせた施工が可能です。
2. 「圧倒的な開放感と借景」: 縁(ふち)が見えない「消失エッジ」により、水面が空や海とつながっているような視覚効果を生み、空間を広く見せます。
3. 「低コスト・低維持費」: 大規模なプールに比べ、初期の工事費用(イニシャルコスト)や、水道・電気代などのランニングコストを抑えることができます。
4. 「資産価値とデザイン性」: 住宅のエクステリア(外構)として非常にデザイン性が高く、自宅にしながらリゾートのような非日常感を演出できます。
5. 「物件価値の劇的な向上」: プール付きの物件、特にインフィニティプールを持つ住宅は、その希少性と美しさから高いブランド価値が付きまます。『ご自宅をリゾート空間にする。』日々の生活の中で非日常的な癒しと、開放感を得られる空間作りです。リビングとつながるテラス、間接照明などを取り入れ、五感でリラックスできるパーフェクト空間を目指す。日常生活にリゾートの要素を加えることで自宅が「最もくつろげる場所」となり心身の疲労を癒す上質な暮らしが実現します。


COMPACT「インフィニティエッジプール」国内初！！

ご自宅をリゾート空間へ……

『ご自宅をリゾート空間へ』日々の生活の中で旅行先のホテルや保養地のような、非日常的な癒しと、開放感を得られる空間づくりです。リビングとつながるテラス、間接照明などを取り入れ、五感でリラックスできる空間を目指します。日常生活にリゾートの要素を加えることで、自宅が「最もくつろげる場所」となり心身の疲労を癒す上質な暮らしが実現します。




インフィニティ 埋め込み式プールは、溶融亜鉛めっき炭素鋼製のモジュール式自立型パネルで構成されています。厚さ2mmの壁はぴったりと組み合わさり、3本のボルトで固定されます。革新的な固定システムにより、迅速かつ容易な組み立てが可能になるだけでなく、構造の堅牢性も向上します。すべてのパネルには、水平方向と垂直方向の調整システムが装備されています。オーバーフローチャンネルは、設置時およびプール完成後の地盤沈下にも対応できるように、完全に調整可能です。また、水面とオーバーフローグリルに対応する5cmのビーチエリアを備え、エレガントでモダンな美観を実現するとともに、プールサイドでの快適性を高めています。




インフィニティプールの循環システムは、グレーチングで構成されており、その下に外周全体に沿って排水路が走っています。排水路の水は、プレハブ式の補償タンクに排出されます。オーバーフローシステムの機能は非常にシンプルです。泳ぐ人がプールに入ると、水位が上昇し、水がプールから溢れてオーバーフロー路に流れ込み、そこから補償タンクを経て、ろ過システムに送られます。浄化された水は、ノズルを通してプールに戻されます。水の絶え間ない動きとろ過ポンプのおかげで、泳ぐ人の動きによる水の不足を補うために必要な量のきれいな水が常に供給されます。インフィニティプールの排水路はパネル構造の一部であり、亜鉛メッキ鋼でできています。

COMPACT「インフィニティエッジプール」国内初！！



SECTION BB'



TECHNICAL DATA:
Perimeter: 18.00 m;
Surface area: 18.00 m²;
Volume to be treated: 22.00 m³

LEGEND

Symb.	Qty	Description
	2+1	Bottom hold
	1	WHITE headlights
	1	WHITE spotlights
	1	Wall vacuum cleaner
	3	Wall delivery
	2	Skimmer
	1	Regulator of mechanical level

【マグネリス鉄骨構造】: *6m × 3m × (H)1.5m <18 m³> = 総材料費 (税別) 9,956,000 円 * B2B 取引卸価格となります。

工事につきましては、POOL 建設現場等によって異なりますので別途ご相談申し上げます、予めご了承くださいませ。

The total price for 1 swimming pool, net of VAT, Ex Works (EXW). <<Maker 本社イタリア>>

*6m × 3m × (H)1.5m <18 m³> 「インフィニティエッジプール」1 台分の合計価格 (付加価値税抜き、工場渡し価格)

POOL 建設に係る躯体構造及び総キット一式 (ろ過システム、LED 水中照明、補償タンク等々) 含む。下記ご参照下さい。

COMPACT「インフィニティエッジプール」国内初！！

POOL SIZE 6,00 X 3,00 HEIGHT 1,50 (SEE DRAW)			
Descrizione	UM	Q.tà	Net Price

見積書 NO.1

POOL SIZE 6,00 X 3,00 HEIGHT 1,50 (SEE DRAW)			
Descrizione	UM	Q.tà	
MAGNELIS STEEL STRUCTURE			
Straight Magnelis Panel S280 ZM310 <=H150 (Includes 1 Panel, 1 Buttress, and Hardware)	ML	13	
Structure Grounding Braid Kit (Waterfall side height 1.40m)	PCS	1	
Straight Magnelis Panel S280 ZM310 <=H150 (Includes 1 Panel, 1 Buttress, and Hardware)	ML	6	
Above-Ground Installation Structure Reinforcement (50cm pitch with buttress and hardware)	ML	6	
Beach Entry Overflow for Waterfall Side (Upper overflow channel + junction saddle)	ML	6	
Overflow for Waterfall Side H140 (Lower overflow channel + junction saddle + reinforcement)	ML	6	
Support Bracket for Upper Waterfall Overflow	PCS	7	
Compensation Tank H 0.90m - Straight Magnelis Panel S280 ZM310 <=H120	ML	7	

見積書 NO.2

EPS STAIRCASE			
Quartz Silicone Tube for EPS/XPS (750ml)	PCS		2
Fast 60-Second Manual Adhesive Foam	PCS		3
Straight Recessed EPS Staircase for H150 (60+30+30+30 H30)	ML		
PVC LINER COATING			
Straight Aluminum Guide 43mm (without fin)	ML		21
Aluminum Rivets (Pack of 500 pieces)	PCS		1
Expansion Nails 25.5mm (Box of 100 pieces)	PCS		1
Weldable White PVC Beading	ML		25
Griffon Contact Adhesive for PVC Membrane (5 Liter Tin)	PCS		1
THF Solvent (1 Liter Pack)	PCS		1
Elbe Classic Sand PVC Membrane (H 1.65m)	SQM		82,5
Elbe Non-Slip Sand PVC Membrane (H 1.65m x 10m roll)	SQM		8,25
Elbe Liquid PVC Sand (1 kg)	PCS		1

見積書 NO.3

CIRCULATION SYSTEM			
Proleader Skimmer for Concrete/Liner	PCS		2
White Flexible PVC Pipe Idro-Flex Ø 32mm (25m roll)	ML		25
90° PVC Elbow Ø 32mm (Wall Returns)	PCS		4
Narrow Inlet Nozzle with Sphere (2"M-50F) for Panel with PVC Liner	PCS		3
Inlet Nozzle without Diffuser (2"M-50F) for PVC Panel	PCS		1
ABS Grille for Aqua Inlet Nozzle	PCS		1
Mechanical Water Level Regulator - Aqua	PCS		1
Inlet Nozzle Closing Plug - Aqua	PCS		1
Inlet Nozzle without Diffuser (2"M-50F) for PVC Panel	PCS		1
Attachment for Floating Vacuum Hose - Aqua	PCS		1
Anti-Vortex Main Drain for Concrete/Liner (63-75mm) - Aqua	PCS		3
White Flexible PVC Pipe Idro-Flex Ø 50mm	ML		100
PVC Sleeve / Coupling Ø 50mm	PCS		4
White Flexible PVC Pipe Idro-Flex Ø 63mm	ML		25
PVC Sleeve / Coupling Ø 63mm	PCS		2
Short PVC Reducer M/F Ø 63x50mm	PCS		2
PVC Tee Fitting Ø 50mm	PCS		1
Rigid PVC Pipe Ø 50mm PN10 (Underground)	ML		15
90° PVC Elbow Ø 50mm	PCS		20
Rigid PVC Pipe Ø 63mm PN10 (Underground)	ML		6
90° PVC Elbow Ø 63mm	PCS		4

見積書 NO.4

FILTRATION SYSTEM (15 m³/h - Fiberglass Pit)			
Technical Pit for Filtration 15 m³/h (3+3 BSF Top-G)	PCS		1
Additional Suction/Return Connection with Valve Ø 50mm	PCS		1
Additional Suction/Return Connection with Valve Ø 63mm	PCS		1
Quartz Sand Filter Media 0.4/0.8 (25 kg bag)	PCS		6
Clamp Saddle Ø 50mm x 1/2"	PCS		1
Sacrificial Anode Kit Ø 50mm x 1/2"	PCS		1
Stainless Steel Bracket for Electrical Panel in Pit + Screws	PCS		1
Electrical Control Panel (1 Mono Skimmer Pump, 105W Transformer, Temp. Control)	PCS		1
Transparent Check Valve NETVITC Ø 50mm	PCS		2
WHITE LED LIGHTING			
LED Nozzle Light Ø297mm, White - 18W (Aqua)	PCS		1
LED Spot Light for Nozzle, White - 7W (Aqua)	PCS		1
Inlet Nozzle without Diffuser (2"M-50F) for PVC Panel	PCS		2
Junction Kit for Spot Light	PCS		2
AUTOMATIC PH/RX DOSING TREATMENT			
Poolmatch Automatic pH Dosing Pump (1.6 L/h - 1.5 Bar)	PCS		1
Poolmatch Automatic Redox (Rx) Dosing Pump (1.6 L/h - 1.5 Bar)	PCS		2
Foot Filter + Float Level Switch (4x6)	PCS		